Price Range?
\$300 or less
\$500 +/-
\$700 +/-
\$900 +/-
\$1,200 +/-
\$1,500 +/-
\$2,000 +/-
\$2,500 +/-
\$4,000 +/-
\$6,000 +/-
\$8,000 +/-
\$10,000 or more
Other:

Top Speed?	
10 mph (16kmh) or less	
15 mph (24 kmh)	
20 mph (32 kmh)	
25 mph (40 kmh)	
30 mph (48 kmh)	
35+mph (56+ kmh) or more	
Other:	
Travel Distance?	
10 miles (16 km) or less	
15 miles (24 km)	
20 miles (32 km)	
30 miles (48 km)	
40 miles (64 km)	
50+ miles (80km+)	
Other:	

Total Weight? (Portability consideration)
20lbs (9kg) or less
20-30lbs (9-14kg)
30-40 lbs (14-18kg)
40-50 lbs (18-23kg)
● 50-60 lbs (23+kg)
O 1bs (27 kg) or more
Other:
Motor Power? (Important for hills, off-road terrain, and rider weight capabilities)
Motor Power? (Important for hills, off-road terrain, and rider weight capabilities) 150 watt or less
150 watt or less
150 watt or less 250 watt
 150 watt or less 250 watt 350 watt
 150 watt or less 250 watt 350 watt 400 watt
 150 watt or less 250 watt 350 watt 400 watt 500 watt
 150 watt or less 250 watt 350 watt 400 watt 500 watt 800 watt
 150 watt or less 250 watt 350 watt 400 watt 500 watt 800 watt 1,000 watt

Wheelchair User Considerations

The following are specific aspects to keep in mind when using a wheelchair with the scooter.

Scooter Configuration
1-wheel Wheelchair Attachment (designed for wheelchairs)
2-wheel Traditional (falls over when not mounted)
3-wheel Tricycle (free stands, articulates)
Lean-to-Steer (large turning radius, 2 skateboard like wheels in front)
Reverse Tricycle (Two steering wheels in front, one in rear)
Other:
Starting Method
Kick Start/Push to start
From Dead Stop (recommended for ease of use)
Drive Wheel(s)
Front (less traction on hills)
Rear (more traction of hills)
Oual (most traction)

Wheel Size?	
5"	
6"	
7"	
8"	
O 10"	
O 12"	
O 14"	
16"	
18" or more	
Other:	
Folding Stem?	
Yes (important for portability)	
No (harder to carry)	
Adjustable Handlebar Height?	
Adjustable Handlebar Height? Yes (important for proper height)	
Yes (important for proper height)	

Deck Height? (affects the mounting angle of the wheelchair unless using an under-mount method).
4" (10cm)
5" (13cm)
6" (15cm)
7" (18cm)
8+" (20 cm)
No deck
Other:
Kickstand Position? (important to be able to manually reach it when mounted)
None
Front
Side
Rear
Wheeled Stand
Requires semi-permanent docking station attached the wheelchair's frame.
Yes
○ No

Battery & Motor Considerations

Battery Type?
Lithium (most common)
Lead-Acid (cheap, low capacity)
Nickel-Metal Hydride (cheap, low capacity)
Other:
Battery Voltage? (affects speed and capacity)
O 36 volts
48 volts
52 volts
O volts or more
Other:
O other.

Battery Capacity? (Amp Hours x Volts = Watt Hours)
150+/- Wh
250+/- Wh
350+/- Wh
● 450+/- Wh
550+/- Wh
700+/- Wh
900+/- Wh
Other:
Motor Type?
Brushless DC (BLDC, newer technology, requires controller)
Brushed DC (older technology, 2 wires)

Gears? (affects speed and efficiency)
1 (or no gears)
O 2
3 (common)
<u> </u>
IATA Travel Compliant? (allowed for air travel)
Yes
○ No
Unknown
Frame & Tire Considerations
Tires Type?
Solid (more bumpy ride)
Pneumatic (could get flat, more comfortable ride)

Tire Width?
Standard
Wide
Extra-Wide (more stable, better traction)
Brakes?
Front (better on declines)
Rear (skids on steep declines)
Oual (best braking)
Electronic Brake?
Yes (will not work when the battery dies)
O No
Mechanical Brake?
Foot (not useful for wheelchair users)
O Drum
O Disk
None

Front Suspension? (adds weight)
Spring
Hydrolic
Air-piston
Combination (most effective)
None
Rear Suspension? (adds weight)
Spring
Hydrolic
Air-piston
Combination (most effective)
None
Accessories
Operating Lights?
Yes
O No

Seat Option?
Yes (typically removable, costs extra)
No
Smart Phone App?
Yes (control features via Bluetooth)
No
Luggage Bag/Carrier?
Yes
No
IPX rating (waterproofing)
IPX0 (no protection
IPX1-2 (dripping water)
IPX3 (spraying water)
IPX4 (splashing water)
IPX4-6 (water jets)
IPX7-8 (total water immersion)

Additional Comments?

Manufacturer's website - http://rdakapital.se/en/drivaggregat/liberty/

This content is neither created nor endorsed by Google.

Google Forms